

PRADEEP®



COOKWARE



BUFFET WARE



BEVERAGE EQUIPMENT



FOOD STORAGE & TRANSPORT



PLANTERS

PRADEEP STAINLESS INDIA PVT LTD

Since its foundation in 1979, Pradeep Stainless India has evolved from a small business venture into one of the country's leading manufacturer and exporter of stainless steel products with a global footprint that spans more than 10 countries. Over 35 years of excellence, innovation, and expertise combined with the latest technological advancements have made us the most trusted name in the business.

The Legacy

Our manufacturing unit was first set up in 1978. In 2001, we shifted our facility to the Madras Export Processing Zone, a special economic zone (SEZ) in Chennai established in 1984. Spread across 16000 sq. metres, our factory stepped up its production of export quality stainless steel utensils, kitchenware, tableware, catering wares, petwares and planters. Our products were exported to USA and Saudi Arabia and gradually, they were in high demand in the entire Middle-East and Africa. In addition to these countries, today, we have an extensive presence in the Indian continent and Europe. Many of our electrical products have earned international certifications. We have state-of-the-art manufacturing and export infrastructure that's operated by more than 800 skilled and unskilled employees. The entire process from design to production and packaging is deftly conducted within our own factory campus. We also have a special R&D and in-house design cell where our product designs are conceptualised, created, and tested by qualified design and development engineers.

The Legacy Continues

*To develop and market top-grade, value for money products with a keen eye on new trends and technologies has always been the core objective of our company. Therefore, we strive to constantly innovate our product offerings, besides maintaining our well-established range of stainless steel products for food and beverage preparation, storage, and serving. The legacy of **Pradeep Stainless India** is now being carried forward by a team that's endowed with excellent academic and professional achievements under the ever-inspiring guidance of **Mr. B. Ramesh Chand**, the Chairman of the company. Pradeep Stainless India is being steered to greater heights through their dedicated efforts and teamwork.*

UNIT - 1



Cookware

A fusion of elegant design and innovation is at the heart of our excellent range of stainless steel cookware which includes saucepans, frying pans (with and without non-stick coating), and stockpots. Each meticulously-built piece features a special multi-layer construction, where 5mm aluminium core is encapsulated between a top and bottom layer made of finest quality stainless steel in satin or mirror finish. This ensures even heat distribution and retention for superb cooking results. The collection is perfect for use on all heat sources including induction and offers sizes that range from home use to large-scale commercial kitchens.



FEATURES

**Heavy Duty 3-ply
Encapsulated Construction**



Mirror / Satin Finish



Heavy Duty Handle



Folded Edges



**Non-Stick
Fry Pan Riveted
Handles**



Stainless Steel 304
Aluminium - 5 mm
Stainless Steel 430



Ceramic



Electric



Induction



Gas




Halogen



Dishwasher

Notes _____



Casserole Low / Cook Pot Low



Casserole Medium / Cook Pot Medium



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229L/24	3.5	240	70	0.8 / 5 / 0.8	1	0.008
7229L/28	5.0	280	70	0.8 / 5 / 0.8	1	0.011
7229L/32	6.0	320	70	0.8 / 5 / 0.8	1	0.014
7229L/36	8.0	360	70	0.8 / 5 / 0.8	1	0.017
7229L/40	10.0	400	70	0.9 / 5 / 0.8	1	0.021
7229L/45	16.0	450	70	1.0 / 5 / 0.8	1	0.030
7229L/50	20.0	500	70	1.0 / 5 / 0.8	1	0.036

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229M/20	3.5	200	120	0.7 / 5 / 0.7	6	0.065
7229M/22	4.5	220	130	0.7 / 5 / 0.7	6	0.082
7229M/24	6.0	240	140	0.7 / 5 / 0.7	6	0.087
7229M/26	7.5	260	150	0.7 / 5 / 0.7	6	0.107
7229M/28	10.0	280	150	0.8 / 5 / 0.8	1	0.018
7229M/32	15.0	320	180	0.8 / 5 / 0.8	1	0.025
7229M/36	20.0	360	200	0.9 / 5 / 0.8	1	0.034
7229M/40	28.0	400	220	0.9 / 5 / 0.8	1	0.046
7229M/45	40.0	450	250	1.0 / 5 / 0.8	1	0.063
7229M/50	53.0	500	270	1.2 / 5 / 0.8	1	0.082
7229M/55*	71.0	550	300	1.2 / 5 / 0.8	1	0.106
7229M/60*	93.0	600	330	1.2 / 5 / 0.8	1	0.133

* Not recommended for induction

Casserole High / Cook Pot High



Stock Pot / Cook Pot Full



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229H/28	13.0	280	210	0.8 / 5 / 0.8	1	0.024
7229H/32	20.0	320	240	0.8 / 5 / 0.8	1	0.033
7229H/36	28.0	360	270	0.9 / 5 / 0.8	1	0.044
7229H/40	38.0	400	300	0.9 / 5 / 0.8	1	0.062
7229H/45	56.0	450	340	1.0 / 5 / 0.8	1	0.087
7229H/50	75.0	500	380	1.2 / 5 / 0.8	1	0.114
7229H/55*	100.0	550	420	1.2 / 5 / 0.8	1	0.151
7229H/60*	130.0	600	460	1.2 / 5 / 0.8	1	0.191

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229S/20	6.0	200	200	0.7 / 5 / 0.7	1	0.014
7229S/22	8.5	220	220	0.7 / 5 / 0.7	1	0.017
7229S/24	10.0	240	240	0.7 / 5 / 0.7	1	0.021
7229S/26	14.0	260	260	0.7 / 5 / 0.7	1	0.025
7229S/28	17.0	280	280	0.8 / 5 / 0.8	1	0.030
7229S/32	26.0	320	320	0.8 / 5 / 0.8	1	0.043
7229S/36	37.0	360	360	1.0 / 5 / 0.8	1	0.060
7229S/40	50.0	400	400	1.0 / 5 / 0.8	1	0.080
7229S/45	72.0	450	450	1.2 / 5 / 0.8	1	0.110
7229S/50	98.0	500	500	1.2 / 5 / 0.8	1	0.148
7229S/55*	130.0	550	550	1.2 / 5 / 0.8	1	0.194
7229S/60*	170.0	600	600	1.2 / 5 / 0.8	1	0.248

* Not recommended for induction

*Casserole Medium/
Cook Pot Medium
with Lock*



*Casserole High/
Cook Pot High
with Lock*



Casserole Medium / Cook Pot Medium – with Lock

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229M/L/36	20	360	200	0.9 / 5 / 0.8	1	0.039
7229M/L/40	28	400	220	0.9 / 5 / 0.8	1	0.046
7229M/L/45	40	450	250	1.0 / 5 / 0.8	1	0.063

Casserole High / Cook Pot High – with Lock

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229H/L/36	28	360	270	0.9 / 5 / 0.8	1	0.044
7229H/L/40	38	400	300	0.9 / 5 / 0.8	1	0.062
7229H/L/45	56	450	340	1.0 / 5 / 0.8	1	0.087

Stock Pot Cook Pot Full - with Lock



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229S/L/36	37	360	360	1.0 / 5 / 0.8	1	0.064
7229S/L/40	50	400	400	1.0 / 5 / 0.8	1	0.087
7229S/L/45	72	450	450	1.2 / 5 / 0.8	1	0.119

Cook Pot / Steamer with Strainer



Strainer

Colander



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Dia(mm)	Height(mm)	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
2815/12	10.0	280	150	STEAMER SIZE	280	120	7233/28	4.0	280	140	0.6	24	0.065
2815/17	10.0	280	150		280	170	7233/32	7.0	320	165	0.7	12	0.058
3218/12	15.0	320	180		320	120	7233/36	10.0	360	185	0.7	12	0.067
3218/15	15.0	320	180		320	150	7233/40	14.0	400	205	0.7	12	0.088
3218/19	15.0	320	180	STRAINER SIZE	320	190	7233/45	20.0	450	225	0.7	6	0.076
3620/12	20.0	360	200		360	120	7233/50	25.0	500	245	0.8	6	0.105
3620/17	20.0	360	200		360	170	7233/65	40.0	650	285	0.9	3	0.186
3620/22	20.0	360	200		360	220							
4022/12	28.0	400	220		400	120							
4022/20	28.0	400	220		400	200							

Frying Pan



**with Helper Handle*



Frying Pan (Non - Stick Coated)



**with Helper Handle*



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7231/FP/20	1.250	200	40	0.8 / 5 / 0.8	12	0.076	7232/FP/20	1.250	200	40	0.8 / 5 / 0.8	12	0.076
7231/FP/22		220	40	0.8 / 5 / 0.8	6	0.049	7232/FP/22		220	40	0.8 / 5 / 0.8	6	0.049
7231/FP/24	2.000	240	45	0.8 / 5 / 0.8	6	0.053	7232/FP/24	2.000	240	45	0.8 / 5 / 0.8	6	0.053
7231/FP/26	2.500	260	50	0.8 / 5 / 0.8	5	0.054	7232/FP/26	2.500	260	50	0.8 / 5 / 0.8	5	0.053
7231/FP/28	3.000	280	50	0.8 / 5 / 0.8	5	0.061	7232/FP/28	3.000	280	50	0.8 / 5 / 0.8	5	0.061
7231/FP/30		300	50	0.8 / 5 / 0.8	5	0.078	7232/FP/30		300	50	0.8 / 5 / 0.8	5	0.078
7231/FP/32	3.750	320	55	0.8 / 5 / 0.8	5	0.081	7232/FP/32	3.750	320	55	0.8 / 5 / 0.8	5	0.081
7231/FP/36*		360	55	1.0 / 5 / 0.8	5	0.109	7232/FP/36*		360	55	1.0 / 5 / 0.8	5	0.109

Conical Pan



Sauce Pan



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7230/CP/16	1.000	160	60	0.8 / 5 / 0.8	6	0.032
7230/CP/20	1.750	200	65	0.8 / 5 / 0.8	6	0.047
7230/CP/24	3.000	240	75	0.8 / 5 / 0.8	6	0.068

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7230/SP/16	1.900	160	95	0.8 / 5 / 0.8	6	0.048
7230/SP/20	3.300	200	105	0.8 / 5 / 0.8	6	0.073
7230/SP/24	5.000	240	110	0.8 / 5 / 0.8	4	0.063
7230/SP/26	7.500	260	150	0.7 / 5 / 0.7	1	0.025
7230/SP/28	10.000	280	150	0.8 / 5 / 0.8	1	0.028
7230/SP/32	15.000	320	180	0.8 / 5 / 0.8	1	0.039

Electric Deep Fryer (Double Pan)



Electric Deep Fryer (Single Pan)



ITEM NO	LxWxH(mm)	Oil Volume @Max(Lt)	Pan Capacity(Lt)	Pcs/Ctn	CBM
111405	420x397x310	2 x 3	2 x 5	1	0.117
111401	420x545x310	2 x 5	2 x 8	1	0.151
111403	420x545x360	2 x 8	2 x 11	1	0.173

ITEM NO	LxWxH(mm)	Oil Volume @Max(Lt)	Pan Capacity(Lt)	Pcs/Ctn	CBM
111404	420x184x310	3	5	1	0.061
111400	420x273x310	5	8	1	0.082
111402	420x273x360	8	11	1	0.089

Electrical Steamer



Item No	Capacity (Lt)	Pcs/Ctn	CBM
220305*	4.00	4	0.139
220306	10.00	2	0.177
220307	12.00	2	0.177

**Also Available with Glass Lid*

Electrical Specification: 220305 : 220-240v AC, 15A (Single phase), 2400W
220306 & 220307 : 220-240v AC, 15A (Single phase), 3000W

Buffet Ware


Take your food display and presentation to a whole new level with our collection of premium buffet ware.

The range includes mirror finished chafing dishes, beverage dispensers, and soup kettles that come in a variety of shapes, sizes, and designs.

Our chafing dishes and soup kettles are ideal for parties, catering events, and restaurants where large portions of food need to be presented and kept warm for longer durations.

The beverage dispensers are perfect for storing and pouring out large volumes of hot or cold beverage at big-scale dining setups.

Ergonomic design ensures our buffet ware is easy to handle and clean, while their durable finish offers a long-lasting appeal.



Full Roll Top (Big) with Soft Roll - SS Leg



Full Roll Top (Small) with Soft Roll - Casting Leg



ITEM NO	PAN SIZE	LxWxH (MM)*	PCS/CTN	CBM	ITEM NO	PAN SIZE	LxWxH (MM)*	PCS/CTN	CBM
251001	FULL	750x480x450	1	0.170	251010	FULL	700x480x440	1	0.134
251002	1/2	750x480x450	1	0.170	251011	1/2	700x480x440	1	0.134
251003	1/3	750x480x450	1	0.170	251012	1/3	700x480x440	1	0.134

Stackable

** Dimensions inclusive of side and lid handles*

Round Chaffer



Ellipse Chaffer

NEW



ITEM NO	PAN SIZE	LxWxH (MM)*	PCS/CTN	CBM	ITEM NO	CAPACITY (ML)	LxWxH (MM)*	PCS/CTN	CBM
211001	4000	330 x 250	4	0.124	211007	7000	585x525x345	1	0.132
211002	5000	330 x 275	4	0.138					
211003	7500	390 x 280	4	0.204					
211004*	4000	330 x 250	4	0.124					
211005*	5000	330 x 275	4	0.138					
211006*	7500	390 x 280	4	0.204					

Leg Type: Stainless steel

* With Glass lid

* Dimensions inclusive of side and lid handle

Economy



ITEM NO	LEG TYPE	LxWxH (MM)*	PCS/CTN	CBM
221001	STAINLESS STEEL	600x460x340	1	0.063

Pan Size: Full

Economy 1/2



ITEM NO	LEG TYPE	LxWxH (MM)*	PCS/CTN	CBM
221002	STAINLESS STEEL	600x460x340	1	0.063

Pan Size: 1/2

* Dimensions inclusive of side and lid holder stand

Economy 1/3



Milk Can



ITEM NO	LEG TYPE	LxWxH (MM)*	PCS/CTN	CBM
221002	STAINLESS STEEL	600x460x340	1	0.063

ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
9227M/2*	2.00		
9227M/3*	3.00	6	0.054
9227M/4*	4.00	6	
9227M/5*	5.00	6	0.075
9227M/6*	6.00		
9227M/7*	7.00		
9227M/8*	8.00		
9227M/9*	9.00		
9227M/10*	10.00	1	0.200
9227M/12*	12.00	1	
9227M/15*	15.00	1	

Pan Size: 1/3

* Dimensions inclusive of side and lid holder stand

* Also available without tap

Hot/Cold Dispenser (with Fuel Plate)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
9227HC/5	5.00	6	0.138

Hot/Cold Dispenser (with Heater Plate)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111802	5.00	4	0.157
111803	10.00	4	0.168

Electrical Specification: 220-240v AC, 15A (Single phase), 800W

Cold Dispenser



ITEM NO	Capacity (Lt)	Pcs/Ctn	CBM
9227C/5	5.00	4	0.193

Soup Urn



ITEM NO	Capacity (Lt)	Pcs/Ctn	CBM
111702	7.00	1	0.043

Liquid Warmer Plate



Chocolate Melter

NEW



ITEM NO	DESCRIPTION	Pcs/Ctn	CBM
111609	DOUBLE	6	0.090
111610	SINGLE	10	0.045

Item No	WxHxD(mm)	Chocolate Volume of Pan	Pcs/Ctn	CBM
111421	380x230x440	2x5kg	1	

Electrical Specification: 111609: 220-240v AC, 6A (Single phase), 400W
111610: 220-240v AC, 6A (Single phase), 200W

Electrical Specification: 220-240v AC, 15A (Single phase), 500W

NEW

Food Warmer



Conveyor Toaster



Item No	WxHxD(mm)	Pcs/Ctn	CBM	Item No	WxHxD(mm)	Pcs/Ctn	CBM
111411 (DOUBLE)	700 x 680 x 430	1	0.10	111562	700 x 680 x 430	1	
111412 (SINGLE)	575 x 673 x 379	1	0.07				

Electrical Specification: 111411: 220-240v AC, 6A (Single phase), 1000W
111412: 220-240v AC, 6A (Single phase), 500W

Electrical Specification: 220-240v AC, 6A (Single phase), 1300W

[illegible]



iBrew[®]

Freshly made. Homely taste.

www.pradeepibrew.com

Beverage Equipment

Our range of coffee and chai brewers are designed to offer the rich and authentic taste of South Indian filter coffee and karak chai with a simple press of a button!


Available in of manual/auto fill with manual/automatic dispensing varieties, our coffee machines allow to brew and dispense up to 120 cups of freshly brewed coffee in just one brew cycle.

Consequent brew cycles can continue without any interruption in dispensing.

Some models can also dispense hot water and milk separately.

Made from the finest, food-grade stainless steel our range of brewers and dispensers are ideal for homes, commercial kitchens, restaurants, bars, cafeterias, canteens, pantries, banquet halls and all kinds of catering services.

Explore our collection or contact us for more information....





iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

Hot Water Dispenser



Insulated Hot Water Dispenser



ITEM NO	CAPACITY (Gallon)	CAPACITY(LT)	PCS/CTN	CBM
111101	1	4.50	2	0.064
111102	2	9.00	2	0.086
111104	4	18.00	2	0.142
111106	6	27.00	2	0.175
111109	9	40.00	2	0.240

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Hot Water

ITEM NO	CAPACITY (Gallon)	CAPACITY(LT)	PCS/CTN	CBM
111201	1	4.50	1	0.031
111202	2	9.00	1	0.041
111204	4	18.00	1	0.068
111206	6	27.00	1	0.086
111209	9	40.00	1	0.129

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Hot Water

Electricity Saver - PUF Insulation

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

Hot Liquid Dispenser



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111300	5.00	1	0.054
111312	12.00	1	0.083
111320	20.00	1	0.107
111330	30.00	1	0.131
111303	5.00	1	0.054
111315	12.00	1	0.083
111314	20.00	1	0.107
111311	30.00	1	0.131

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Hot Milk, Hot Water

Electrical Specification: 111303: 220-240v AC, 15A (Single phase), 2400W
111300, 111312, 111320, 111330, 111315, 111314, 111311:
220-240v AC, 15A (Single phase), 3000W

Insulated Hot Liquid Dispenser



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111600	5.00	1	0.062
111612	12.00	1	0.091
111620	20.00	1	0.113
111630	30.00	1	0.139
111613	5.00	1	0.062
111614	12.00	1	0.091
111621	20.00	1	0.113
111631	30.00	1	0.139

Fill Type: Manual

Fill Temperature: Normal

Electricity Saver - PUF Insulation Dispensing Options: Hot Milk, Hot Water

Electrical Specification: 111613: 220-240v AC, 15A (Single phase), 2400W
111600, 111612, 111620, 111630, 111614, 111621, 111631:
220-240v AC, 15A (Single phase), 3000W



Automatic Hot Water Dispenser



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111550	10	188x520x550	1	0.100
111551	20	217x645x575	1	0.122

Fill Type: Automatic

Fill Temperature: Normal

Dispensing Options: Hot Water



iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

Automatic Hot Liquid / Karak Chai Dispenser



Easy to Clean
Brewing Basket
(For Tea Brewing)

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111541	5	450x605x435	1	0.152
111546	12	505x702x480	1	0.217
111556	5	450x605x435	1	0.152
111559	12	505x702x480	1	0.217
111555	5	450x605x435	1	0.152
111618	12	505x702x480	1	0.217

Fill Type: Automatic

Fill Temperature: Normal

Dispensing Options: Hot Milk, Hot Water

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



Tea Filter with Warmer Plate



Easy to Clean
Brewing Basket

ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111505	3.00	6	0.118
111506	5.00	6	0.178

Fill Type: Manual

Fill Temperature: Boiling Hot

Dispensing Options: Black Tea

Electrical Specification: 220-240v AC, 15A (Single phase), 2400W



Freshly made. Homely taste.

www.pradeepibrew.com

Karak Chai Brewer



Easy to Clean
Brewing Basket



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111301 } WITH MESH	5	1	0.058
111313 }	12	1	0.089
111601 } INSULATED	5	1	0.068
111605 } WITH MESH	12	1	0.106
111304 } WITH MESH & FLOAT SENSOR	5	1	0.058
111316 }	12	1	0.089
111615 } INSULATED WITH MESH & FLOAT SENSOR	5	1	0.068
111616 }	12	1	0.106

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Karak Chai, Hot Water

Electrical Specification: 111301, 111313, 111601, 111605, 111316, 111616:
220-240v AC, 15A(Single phase), 3000W
111304, 111615: 220-240v AC, 15A (Single phase), 2400W



iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

Karak Chai Brewer with Timer



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY(LT)	WxHxD (MM)	PCS/CTN	CBM
111513	5	260x500x430	1	0.119
111514	10	307x540x460	1	0.154

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Karak Chai / Hot Water

Karak Chai Brewer with Timer (Non-Insulated)



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY(LT)	WxHxD (MM)	PCS/CTN	CBM
111563	5	255x530x350	1	
111564	10		1	

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Karak Chai / Hot Water

Electrical Specification: 220-240v AC, 15A (Single phase), 2400W



iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

Hot Liquid / Karak Chai Dispenser with Counter



Easy to Clean
Brewing Basket



ITEM NO	CAPACITY(LT)	WxHxD (MM)	PCS/CTN	CBM	ITEM NO	CAPACITY(LT)	WxHxD (MM)	PCS/CTN	CBM
111549	5	270x765x480	1		111512	5	525x720x450	1	0.248
111557	5	270x765x480	1						

(WITH TEA MESH)

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Karak Chai / Hot Water

Electrical Specification: 220-240v AC, 15A (Single phase), 2400W

Karak Chai Brewer with Automatic Dispensing



Easy to Clean
Brewing Basket

Fill Type: Automatic

Fill Temperature: Normal

Dispensing Options: Karak Chai, Hot Milk, Hot Water

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

Coffee Filter with Warmer Plate



ITEM NO	CAPACITY(LT)	PCS/CTN	CBM
111503	3.00	6	0.118
111504	5.00	6	0.178

Fill Type: Manual

Fill Temperature: Boiling Hot

Dispensing Options: Black Coffee

Insulated Coffee Filter



ITEM NO	CAPACITY(LT)	PCS/CTN	CBM
111509	3.00	1	0.146

Fill Type: Manual

Fill Temperature: Boiling Hot

Dispensing Options: Black Coffee

Electrical Specification: 220-240v AC, 15A (Single phase), 800W



iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

Filter Coffee Brewer



*Easy to Clean
Brewing Basket*



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111539	2	200x480x425	1	0.095
111500	2	250x560x425	1	0.134
111502	1	202x420x365	1	0.057
111561	5	335x580x580	1	
111508	2	260x455x485	1	

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Black Coffee

Electrical Specification: 220-240v AC, 15A (Single phase), 2400W



Freshly made. Homely taste.

www.pradeepibrew.com

Automatic Decoction Dispenser



Filter Coffee Brewer with Manual Dispensing



Easy to Clean
Brewing Basket

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM	ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111560	5	284x358x448	1		111522	5	560x515x540	1	0.197

Fill Type: Manual

Fill Temperature: Normal/Hot

Dispensing Options: Decoction

Fill Type: Automatic

Fill Temperature: Normal

Dispensing Options: Coffee, Hot Milk, Hot Water.

Electrical Specification: 220-240v AC, 6A (Single phase), 200W

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



Filter Coffee Brewer with Automatic Dispensing



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111523	5	530x600x455	1	0.243
111521	12	630x735x530	1	0.388

*Fill Type: Automatic
Fill Temperature: Normal
Dispensing Options: Coffee, Hot Milk, Hot Water*

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

Black Tea & Filter Coffee Brewer (Manual Fill)



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111534	2	560x500x330	1	0.149

*Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Black Coffee, Black Tea*

Electrical Specification: 220-240v AC, 15A (Single phase), 2700W



Karak Chai & Filter Coffee Brewer with Automatic Dispensing



*Easy to Clean
Brewing Basket*



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111530	5	530x600x455	1	0.276
111603	3	247x395x350		
111531	12	630x735x530	1	0.545
111608	7	247x510x350		

Fill Type: Automatic For Coffee / Manual For Karak Chai

Fill Temperature: Normal

Dispensing Options: Coffee, Karak Chai, Hot Milk, Hot Water

Electrical Specification: 111530, 111531: 220-240v AC, 15A (Single phase), 3000W
111603, 111608: 220-240v AC, 15A (Single phase), 2400W

Fully Automatic Karak Chai & Filter Coffee Machine



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111533	5	515x720x655	1	

Fill Type: Automatic

Fill Temperature: Normal

*Dispensing Options: Coffee, Black Coffee,
Karak Chai, Black Tea, Hot Milk, Hot Water*

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



Samovar



Coffee Percolator



iBrew®

Freshly made. Homely taste.

www.pradeepibrew.com

ITEM NO	CAPACITY(LT)	PCS/CTN	CBM

111703	5.00	1	0.042
--------	------	---	-------

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Tea, Hot Water

ITEM NO	CAPACITY(LT)		POWER(W)	PACKAGE	CBM
	Nominal	Actual			

111511	10	12	1650	1	0.064
--------	----	----	------	---	-------

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Black Coffee



Steamer

NEW



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111554	1	158x360x450	1	0.062

Fill Type: Manual
Fill Temp: Normal

Electrical Specification: 220-240v AC, 6A (Single phase), 1500W



Hot Liquid Dispenser (Non - Electric)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
9230/5	5.00	1	0.033
9230/10	10.00	1	0.060

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Hot Milk, Hot Water.

iBrew®
Freshly made. Homely taste.
www.pradeepibrew.com

Food Storage & Transport

Our excellent range of commercial food storage and transport products includes drums, canisters, and insulated carrying pots of various capacities to meet your low- or high-volume needs. Made from 100% food-grade stainless steel, these products are built for heavy-duty use in commercial establishments.



Storage Drum



Item No	Capacity (Lt)	Dia(mm)	Height(mm)	Pcs/Ctn	CBM
7215/30	30.00	300	450	1	0.047
7215/40	40.00	300	600	1	0.068
7215/50	50.00	350	530	1	0.076
7215/60	60.00	350	700	1	0.105
7215/70	70.00	400	600	1	0.107
7215/90	90.00	400	800	1	0.143
7215/100	100.00	450	660	1	0.149
7215/130	130.00	450	900	1	0.215

Food Grade rubber Gasket, Rigid Grip, Air tight Locks

Honey Drum



Item No	Capacity (Lt)	Pcs/Ctn	CBM
7219/30	30	1	0.067
7219/50	50	1	0.085
7219/100	100	1	0.153
7219/200	200	1	0.319

*Heavy Duty Non - Drip Dispensing tap
Food Grade rubber Gasket, Rigid Grip, Air Tight Locks*

Tea / Coffee URM



Item No	Capacity (Lt)	Pcs/Ctn	CBM
7217/6	6.00	1	0.033
7217/8	8.00	1	0.040
7217/12	12.00	1	0.044
7217/16	16.00	1	0.053
7217/20	20.00	1	0.063
7217/25	25.00	1	0.075
7217/30	30.00	1	0.085
7217/35	35.00	1	0.096

Wide Open - Easy to Clean - PUF Insulation

Insulated Carrying Pot



Item No	Capacity (Lt)	Pcs/Ctn	CBM
9232/5	5.00	1	0.024
9232/10	10.00	1	0.035
9232/20	20.00	1	0.058
9232/30	30.00	1	0.078
9232/40	40.00	1	0.101
9232/50	50.00	1	0.120

PUF Insulation

Notes _____

Planters

Planter Our stainless steel planters are the ultimate choice in plant containers, perfect for use in homes, shopping malls, shop fronts, showrooms, restaurants, etc. Combining style with enduring strength and durability, our planters come in a variety of shapes and sizes. Plus, we also manufacture to-order and to your specifications. So, you can purchase planters in your desired sizes and designs, apart from the standard ones. Our collection of planters also includes table tops and vases





Classic Conica

Classic Crucible
Stainless Steel · Satin & Mirror



TOP DIA	HEIGHT	BOTTOM DIA
500	500	400
400	400	300




TOP DIA	HEIGHT	BOTT DIA
700	1500	500
500	800	350
400	800	300
400	600	300

Additional Sizes as per customers requirement

Conica

Stainless Steel - Satin & Mirror


Slant




TOP DIA	BOTTOM DIA	HEIGHT
400	300	800
400	300	600

Additional Sizes as per customers requirement

Ellipse



Stripe





TOP DIA	BOTTOM DIA	HEIGHT
400	300	800
400	300	600

Additional Sizes as per customers requirement

Conica - Square

Stainless Steel



Cubica

Additional sizes as per customers requirement





Classic Pave's

DIA	HEIGHT
300 mm	900 mm
300 mm	750 mm
300 mm	600 mm

Finishes : Polished / Mirror & Satin / Brushed

Stainless Steel



Aluminium



Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Classic Cylinders

Additional Sizes as per customers requirement



Classic Cylinders

Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600

Additional Designs as per customers requirement





Silverline...

Stainless Steel - Satin & Mirror Lines



Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Golden Tulipa

Stainless Steel - Gold Plated



Diameter mm	Height mm
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Armour...

Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600




Goldline

Stainless Steel - Gold Plated

Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Rectangular




L	W	Ht
900	320	300
750	300	300
600	280	300



Shapes..

Stainless Steel
& Aluminium



Octagon

L	W	Ht
400	400	400
500	500	500

Square



Tangle

300 x 600

Sizes as per customers requirement



Table Tops & Vases

Bud Vases Pyramids Belly Pots Miniatures Table Bowls



Notes _____

PRADEEP STAINLESS INDIA PVT LTD

Welcome to *iBrew by Pradeep* India's first indigenously designed Indian Karak Chai and South Indian filter coffee brewing and dispensing machines made from the finest stainless steel and best-in-class electrical and electronic components.

A venture of Pradeep Stainless India Pvt. Ltd., the brand carries the same trust and dedication to quality that the name Pradeep is synonymous with for nearly four decades. Here's a glimpse into how the brand was born.

Inception Of The Brand

Pradeep Stainless India is a market leader in manufacturing and export of superior-grade stainless steel products with a global footprint in more than 10 countries.

With extensive experience of manufacturing coffee brewing machine components for many international companies, the company realised the potential of India's own favourite Karak Chai and South Indian filter Coffee through automated brewing and dispensing machines.

Thus was launched the brand *iBrew by Pradeep* under the ever-inspiring guidance of **Mr. B. Ramesh Chand**, the Chairman of the company.

Why Choose iBrew?

The brand's foundation has been laid on quality, innovation, and use of latest technology. Designed, manufactured and tested in the state-of-the-art ISO 9001-2008 facility at MEPZ-SEZ in Chennai, all *iBrew* products are built to provide consistent taste and quality of the beverage, while ensuring safety, ease of operation and maintenance of the machine. Qualities combined with innovative features make *iBrew* machines the perfect professional hot beverage solution. Striving to become world's leading manufacturer of traditional Indian Karak Chai and South Indian filter coffee machines, *iBrew by Pradeep* aims to deliver the real taste of Indian beverages to the world!





PRADEEP®

PRADEEP STAINLESS INDIA PVT LTD

Plot C3, B7 & D1, Phase II, MEPZ - Special Economic Zone, Tambaram, Chennai - 600 045, India.

www.pradeepstainless.com | www.pradeepibrew.com | info@pradeepstainless.com



pradeepstainless



Pradeep Stainless



PRADEEPSTAINLESS



PradeepPSIPL